



LED lifting and folding all-in-one

DATE: 2024-07



CONTENTS

01 | Product Introduction

02 | External dimensions



03 | mechanical control

04 | Mobile aviation box

05 | parameter



Aviation box integrated LED lifting rotating folding mobile screen

screen size	Safe folding gap	Folding thickness	Folding angle	Lift weight	COB LED
135"	0.1mm	168mm	180°	150kg	P1.53

Flexible display LED
screenMechanical design of
multi axis transmissionA
movable LED screenFoldable
LED screenAdjustable LED
screenCommercial integrated
machine design





航空箱一体式LED升降旋转折叠移动屏





参数

SIZE	135 inch
Display Size	3000mm*1687.5mm
display scale	16:9
resolution	LED
Dot Pitch	1920*1080
brightness(nits)	1.56
对比度	600 cd/m²
Perspective (up/down/left/right)	1100:1
response time	89° /89° /89° /89°
refresh rate	8ms
menu language	60Hz
Elevating track	CN/EN
Elevating height	Aluminum alloy+carbon steel
Transmission mode	0-900mm
Folding angle	Servo electric cylinder+self-developed rotary hingeServo electric cylinder+self-developed rotary hinge
Motor and driver	180°
controller	servo
Limit	customized
Wiring device	Absolute formula
	Drag chain+self-developed hidden rotation line
System Characteristics	Seamless switching between Android and Windows dual systems; Folding gap of 0.1mm; mechanical system alarm reset; Support remote control, buttons, and APP control; Hidden wiring; Commercial integrated machine design
power supply	AC100V~240V, 50/60Hz
Maximum power loss	≤4500W
Standby power loss	<1W
operation temperature℃	0℃~50℃
Storage temperature℃	-20℃~60℃



Aviation box integrated LED lifting rotating folding mobile screen




size





Aviation box integrated LED lifting rotating folding mobile screen

- Button control
- (supports English
- buttons) Remote
- controlSupport APP
- wireless control



Aviation box integrated LED lifting rotating folding mobile screen



Design of aviation
container

Integrate the protective equipment's aviation box with the device, and use a three part split opening method, connected and fixed with butterfly locks.



Unrestricted
through sex

The bottom is equipped with mobile brake wheels, and the box shape is 2135 cm in length, 1110 cm in width, and 2220 cm in height. It can be carried into a large screen for formula processing, with no restrictions on entry and exit.

Convenient and
fast

Open the outer cover and turn on the power to use it efficiently and conveniently. Designed forklift transportation and self-contained mobile wheel handling.



Aviation box integrated LED lifting rotating folding mobile screen

Thanks